



## ACRYLIC PRIMER/UNDERCOAT

### DESCRIPTION.

**Kingfisher ACRYLIC PRIMER / UNDERCOAT** is a ready mixed acrylic emulsion based paint, formulated for the priming and sealing of timber, plaster boards etc.

It is quick drying, easy to apply and provides excellent keying properties when overcoating with oil or alkyd based topcoats.

It also has very good sealing qualities on timber which has been pre treated with wood preservatives\* where it inhibits the tendency for the preservative to leach to the surface.  
\* Preservatives should be allowed to thoroughly dry out before application of primers or overcoats.

**Kingfisher ACRYLIC PRIMER / UNDERCOAT** is also suitable for use as an undercoat in both interior and exterior applications.

### PREPARATION.

The surface to be coated must be clean, dry, sound and free from grease and oil.

### APPLICATION

**Kingfisher ACRYLIC PRIMER / UNDERCOAT** can be applied by brush, spray or roller and is supplied ready for use.

**Drying time** in normal conditions is approximately 30 minutes.. High humidity may cause slower drying time.

### COVERAGE.

The product will cover at the rate of 90 – 100 mtr<sup>2</sup> / 10 litres depending upon the porosity of the timber and the thickness of application. **Kingfisher ACRYLIC PRIMER / UNDERCOAT** should be regarded as a temporary protective system for exterior conditions and should be over painted with alkyd finish within 28 days of application.

### PACKAGING./ COLOUR.

**Kingfisher ACRYLIC PRIMER / UNDERCOAT** is supplied in 10 litre plastic containers and is available in White.

### HEALTH and SAFETY.

The product, being water based is non flammable. As with all paints it is advisable to avoid prolonged contact with the skin. Affected areas of skin should be washed with warm water and soap. Keep product out of reach of children and free from frost.

For further Health and Safety information on this product please refer to the Kingfisher Safety Data Sheet, copies of which are available from the Kingfisher Technical Dept. Tel. 01229 869100 or Fax 01229 868101.