



KINGFISHER WEATHERFLEX

DESCRIPTION.

Kingfisher WEATHERFLEX is a high grade, durable coating which is based on a blend of Styrene and meth (acrylic) ester copolymers. It is smooth coat, high solids, water based finish, designed specifically for external use in exposed environments.

Weatherflex will stop rain penetration whilst still allowing the masonry to breathe.

The polymers are extremely durable and will cure to give a tack free, highly flexible UV resistant film.

APPLICATION

The surface to be treated should be thoroughly cleaned to remove all dirt, dust, algae, and lichen and ensure that the substrate is surface dry.

The substrate should be treated with **Kingfisher BIOCIDAL WASH** to maximise adhesion to the background.

The coating should be applied using a brush, or roller to achieve coverage of 5 – 7 sq.metres/litre/coat.

Allow the first coat to become touch dry before applying the second coat, (Within 2 hours in normal conditions).

DO NOT apply when temperature is below 5°C or when frost is imminent.

COVERAGE.

Applied under normal conditions **Weatherflex** will cover approximately 3 sq.metres / litre finished (2 coats)

PACKAGING.

Weatherflex is supplied in 10 litre plastic containers with a convenient carrying handle.

COLOUR.

Kingfisher WEATHERFLEX is available in White or Magnolia.

PROTECT FROM FROST

For further Health and Safety information on this product please refer to the Kingfisher Safety Data Sheet, copies of which are available from the Kingfisher Technical Dept Tel. 01229 869100 or Fax 01229 869101.
www.kingfisheruk.com

THE INFORMATION GIVEN IN THIS DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. SUCH INFORMATION IS TO THE BEST OF THE COMPANY'S KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE INDICATED. HOWEVER NO WARRANTY, GUARANTEE OR REPRESENTATION IS MADE AS TO IT'S ACCURACY, RELIABILITY OR COMPLETENESS. IT IS THE USERS RESPONSIBILITY TO SATISFY THEMSELVES AS TO THE SUITABILITY AND APPLICATION OF SUCH INFORMATION FOR THEIR OWN USE.