



SAFETY DATA SHEET

Page 1

EPOXY PRIMER

Issue No 1. 26/05/10

Revision No: 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product name: Epoxy Primer

Product code: KF70

Company name: Kingfisher Building Products Ltd
Ulverston
Cumbria LA12 9RA
kingfisheruk@tiscali.co.uk
www.kingfisheruk.com

Telephone 01229 869100

Fax 01229 868101

Emergency telephone No. 01229 869100. Office hours 0800hrs - 1700 hrs Mon – Friday.

2. HAZARDS IDENTIFICATION

Main hazards: May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Hazardous ingredients:	Conc.	CAS	Symbols / Risk Phrases
Tetraethylenepentamine	1 – 10%	112-57-2	Xn; R21/22. C; R34, 43. N.R51/53

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Irritating to the skin.

Eye contact: Irritating to eyes.

Ingestion: Ingestion may cause nausea and vomiting.

Inhalation: Irritating to respiratory system. Inhalation may cause coughing and tightness to the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove contaminated clothing. Wash thoroughly with soap and water immediately. Obtain medical help if symptoms persist.

Eye contact: Irrigate immediately with clean water for 15 minutes. Seek medical attention if irritation persists .

Ingestion: DO NOT INDUCE VOMITING Seek medical attention if irritation or symptoms persist..

Inhalation: Remove to fresh air; consult doctor in case of symptoms.

EPOXY PRIMER

Issue No 1. 26/05/10

Revision No: 0

5. FIRE – FIGHTING MEASURES

- Extinguishing media:** Carbon oxides.
- Exposure hazards:** Burning produces irritating, toxic and obnoxious fumes.
- Protection of fire-fighters:** Fire-fighters should wear self contained breathing apparatus and suitable protective clothing.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Ensure adequate ventilation in the working area. Wear suitable protective equipment.
- Environmental precautions:** Stem flow of spilled material. Prevent spills from entering drains, sewers or water courses.
- Clean up methods:** Absorb with inert, absorbent material. Sweep up. Transfer to a suitable, labelled container for disposal.
Clean spillage area thoroughly with plenty of water

7. HANDLING AND STORAGE

- Handling requirements:** Avoid contact with eyes and skin. Ensure adequate ventilation of the work area..
Wear protective clothing, gloves and eye protection during use.
Adopt best manual handling considerations when handling, carrying and dispensing.
- Storage conditions:** Store in a cool, dry well ventilated area. Protect from frost.
Keep containers tightly closed
Avoid temperatures below 5°C.
Keep out of reach of children.
- Suitable packaging:** Must be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures:** Ensure working area is adequately ventilated.
- Respiratory protection:** Wear suitable respiratory equipment..
- Hand protection:** Chemical resistant gloves (PVC).
- Eye protection:** In case of splashing wear approved Safety goggles.
- Skin protection:** Wear protective overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

- State;** Liquid
- Colour:** White or Brown.
- Odour:** Characteristic odour
- Solubility in water:** Soluble.

EPOXY PRIMER

Issue No 1. 26/05/10

Revision No: 0

10. STABILITY AND REACTIVITY**Stability:** Stable under normal conditions.**11. TOXICOLOGICAL INFORMATION****Acute toxicity:** May cause sensitisation by skin contact.**12. ECOLOGICAL INFORMATION****Ecotoxicity:** No data available.**13. DISPOSAL CONSIDERATIONS****General information:** Dispose of in compliance with local and national regulations.**14. TRANSPORT INFORMATION****General information:** The product is not classified as dangerous for carriage.**15. REGULATORY INFORMATION****Labelling :** The product is classified in accordance with 67/548/EEC**Xi Irritant****Risk phrases:** R43- May cause sensitisation by skin contact.
R52/53- harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.**Safety phrases:** S24: Avoid contact with skin.
S37: Wear suitable gloves.**16. OTHER INFORMATION****Text of risk phrases in Section 3.** R21/22. Harmful in contact with skin and if swallowed.
R34. Causes burns.
R43. May cause sensitisation by skin contact.
R51/53. Toxic to aquatic organism, may cause long-term adverse effects in the aquatic environment**Further Information:** The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication. However no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such materials used in combination with any other materials or in any other process.