

## HOW TO GUIDE



Kingfisher Building Products Ltd  
Cooper Lane  
Ulverston  
LA12 9RA

T: +44(0)1229 869 100  
F: +44(0)1229 869 101

[www.kingfisheruk.com](http://www.kingfisheruk.com)

- 1** IMPROVE VENTILATION
- 2** KILL BLACK MOULD
- 3** REPAINTING



# ERADICATE BLACK MOULD

**Important!** Kingfisher "How To" guides offer a step-by-step overview showing you how the products can be used together to tackle various projects but they should always be read in conjunction with the individual "Product Data Sheet" to familiarise you with specific application details for each product. Always refer to the "Material Safety Data Sheet" before use. The data sheets can be obtained at [www.kingfisheruk.com](http://www.kingfisheruk.com) or by calling 01229 869 100.



---

## ERADICATE

## BLACK MOULD

P. 01229 869 100

E. [technical@kingfisheruk.com](mailto:technical@kingfisheruk.com)



With improving building methods and better materials we could be forgiven for thinking that “Black Mould” should be a thing of the past. However control of this unsightly fungus remains a challenge for many property owners and part of the problem is the drive for energy efficiency. In an effort to retain heat, we are improving insulation and frequently blocking up ventilation which means that the moisture generated from every day living is trapped, creating a breeding ground for black mould.

# 1

---

## IMPROVE VENTILATION

Black mould typically occurs because condensation builds up in poorly ventilated areas. Although opening windows or using extractor fans can alleviate this humid environment, occupants often reject this, as it may leave the room uncomfortably cold. However, Kingfisher offers a range of specialist ventilation systems which only lose a tiny amount of heat while dramatically reducing humidity levels. Please contact us for details.



# 2

---

## KILL BLACK MOULD

### SUGGESTED PRODUCT - MOULDCURE

Whether or not it is practical to improve the ventilation, you can successfully control black mould growth in most situations. Sponge the affected areas with Kingfisher “Mould Cure” which is an effective fungicide concentrate. Do not worry if some of the staining remains, as the “Mould Cure” renders the mould inert and ready for painting.



## ERADICATE

## BLACK MOULD

P. 01229 869 100

E. [technical@kingfisheruk.com](mailto:technical@kingfisheruk.com)



# 3

## REPAINTING (WITH ANTI-MOULD PAINT)

**SUGGESTED PRODUCTS - KINGFISHER ANTI-MOULD PAINT OR  
ANTI MOULD PAINT ADDITIVE**

Having neutralised the mould you are now ready to decorate. You can either use Kingfisher "Anti-Mould" fungicidal paint or mix our "anti-mould paint additive" into the emulsion colour of your choice. This creates an active fungicidal film which will inhibit further mould growth. Note: Re-painting with "standard" emulsion is ineffective as the mould will simply re-grow.



## REPAINTING (WITH THERMAPAINT)

**SUGGESTED PRODUCT - KINGFISHER THERMAPAINT ANTI-MOULD  
(AVAILABLE IN 14 COLOURS)**

Thermapaint "Anti-Mould" paint has all the benefits described above but it also has thermal properties which inhibit the formation of condensation. Specifically, it contains millions of vacuum ceramic micro-beads which together act like an insulating thermos flask. This raises the surface temperature of the wall by around one degree which is sufficient to reduce the formation of condensation.



## IMPORTANT!

Kingfisher "How To" guides offer a step-by-step overview showing you how the products can be used together to tackle various projects but they should always be read in conjunction with the individual "Product Data Sheet" to familiarise you with specific application details for each product. Always refer to the "Material Safety Data Sheet" before use. The data sheets can be obtained at [www.kingfisheruk.com](http://www.kingfisheruk.com) or by calling 01229 869 100.